

# Valtech<sup>®</sup>

## SANITARYWARES AND FITTINGS



SANITARY  
WARES

TOUCH FREE  
SENSOR FITTINGS

MANUAL  
FITTINGS



# About *Valtech*

Founded in Penang in 2000, Valtech is a leading provider in the Sensor Automatic Sanitary Industry. With extensive partnerships across Malaysia, we deliver expert solutions tailored to customer needs. All Valtech products are rigorously tested for quality and reliability. We prioritize continuous innovation to meet evolving demands. Valtech is more than just a product provider, we are your trusted partner for high-quality, reliable, and cost-effective sanitary solutions.



*Making Hygiene Sense*

# *Vision*

To be the leading and most trusted brand for innovative, touch-free, hygienic, and environmentally friendly sensor automatic sanitary wares and fittings solutions, empowering healthier living and reducing resource consumption in Malaysia and worldwide.

# *Mission*

- **Delivering Excellence:** Consistently providing the highest quality products and unparalleled after-sales service to ensure customer satisfaction and a hygienic environment.
- **Ensuring Peace of Mind:** Leveraging Valtech's extensive experience to offer reliable, automated solutions that empower customer organizations with confidence.
- **Fostering Sustainability:** Innovating and providing green building products and solutions that actively contribute to environmental conservation.
- **Prioritizing our Customers:** Recognizing that the customer is our most valuable asset, we are dedicated to understanding and fulfilling their evolving needs.



✓ Industrial



✓ Healthcare & Hospitality




✓ Residential



✓ Mixed  
Development



✓ Commercial



✓ Miscellaneous

# SUMMARY



## SANITARY WARES

Pg. 05-36



## SENSOR FITTINGS

Pg. 37-58



## MANUAL FITTINGS

Pg. 59-88


*Valtech*®

# SANITARY WARES

Valtech sanitary wares are categorized into three main ranges — Basins, Water Closets, and Urinals. Each product line offers refined design, reliable performance, and modern aesthetics to complement your bathroom perfectly.



**BASIN**



**WATER  
CLOSET**



**URINAL**

# TABLE OF CONTENTS

<b>01</b>	<b>BASINS</b>	<b>07</b>
<b>02</b>	<b>WATER CLOSETS</b>	<b>21</b>
<b>03</b>	<b>URINALS</b>	<b>31</b>

01



# VALTECH BASINS

“Sleek and space-saving designs.”

# BASINS

## INDEX

COUNTER TOP BASINS

WALL HUNG BASINS

UNDER COUNTER BASINS

SEMI-RECESSED BASINS

SPECIAL NEEDS BASINS

# COUNTER TOP BASIN

Valtech®


BASINS




## Alamanda

VT9100CTW

Size : L485 x W390 x H145mm



TOP VIEW




SIDE VIEW




## Meria

VT9103CTW

Size : L490 x W355 x H140mm



TOP VIEW



SIDE VIEW

## COUNTER TOP BASIN


Valtech®




## Flesia

VT9101CTW

Size : L510 x W375 x H145mm



TOP VIEW




SIDE VIEW




## Nuhra

VT9102CTW

Size : L485 x W390 x H150mm



TOP VIEW



SIDE VIEW

# COUNTER TOP BASIN

Valtech®


BASINS



## Mimosa

VT9105CTW

Size : L500 x W420 x H130mm



TOP VIEW




SIDE VIEW




## Dica

VT9106CTW

Size : L600 x W420 x H130mm



TOP VIEW



SIDE VIEW

# COUNTER TOP BASIN


Valtech




## Rubia

VT9107CTW

Size : L505 x W380 x H130mm



TOP VIEW




SIDE VIEW




## Calen

VT9108CTW

Size : L610 x W410 x H140mm



TOP VIEW



SIDE VIEW

# COUNTER TOP BASIN


Valtech

BASINS

## Indah

VT9109CTW

Size : L600 x W380 x H125mm



TOP VIEW




SIDE VIEW


## Sero

VT9110CTW

Size : L505 x W415 x H150mm



TOP VIEW



SIDE VIEW


# COUNTER TOP BASIN

*Valtech*


## Kana

VT9104CTW

Size : L420 x W420 x H135mm



TOP VIEW



SIDE VIEW



**Kana**  
VT9104CTW

# WALL HUNG BASIN


Valtech

BASINS

## Wati

VT9201WHB

Size : L560 x W460 x H185mm



TOP VIEW




SIDE VIEW


## Aira

VT9200WHB

Size : L480 x W410 x H170mm



TOP VIEW



SIDE VIEW


# WALL HUNG BASIN

Valtech®


## Remia

VT9202WHB

Size : L445 x W415 x H385mm



TOP VIEW




SIDE VIEW


## Calys

VT9203WHB

Size : L480 x W400 x H390mm



TOP VIEW



SIDE VIEW

# UNDER COUNTER BASIN


Valtech

BASINS


## Warda

VT9375UCB

Size : L525 x W375 x H200mm



TOP VIEW




SIDE VIEW


## Rufa

VT9378UCB

Size : L500 x W400 x H180mm



TOP VIEW



SIDE VIEW


# UNDER COUNTER BASIN

Valtech®


## Eria

VT9376UCB

Size : L540 x W400 x H185mm



TOP VIEW




SIDE VIEW


## Camara

VT9377UCB

Size : L555 x W425 x H205mm



TOP VIEW



SIDE VIEW

# SEMI-RECESSED BASIN

Valtech


BASINS



## Pagma

VT9300SR

Size : L500 x W420 x H160mm



TOP VIEW




SIDE VIEW




## Jelma

VT9301SR

Size : L550 x W450 x H180mm



TOP VIEW



SIDE VIEW

# SPECIAL NEEDS BASIN


Valtech

## Melur


VT9426CW

Type : Wall-hung

Size : L650 x W565 x H190mm



TOP VIEW




SIDE VIEW

## Stelis

VT9425CW

Type : Wall-hung

Size : L650 x W545 x H200mm



TOP VIEW



SIDE VIEW

02



# VALTECH WATER CLOSET

“ Comfort meets functionality. “

# WATER CLOSET

## INDEX

BACK TO WALL

WALL HUNG

ONE PIECE

CLOSE-COUPLED

# WATER CLOSET GUIDE



## Rimless Toilet



A rimless toilet eliminates the hidden inner rim, directing water through open channels for a cleaner and more efficient flush.

- ✓ Better hygiene (no rim for dirt or bacteria build-up)
- ✓ Easier cleaning
- ✓ More powerful, direct flushing performance

## Flush Systems



Washdown Flush – Utilises strong water pressure to push waste directly down the outlet, ensuring efficient disposal.



Tornado Flush – A high-efficiency 360° vortex flush that cleans every corner of the bowl thoroughly while saving water.

## Seat and Cover



Features a gentle hinge mechanism that allows the seat and cover to close slowly and quietly — preventing slamming and extending durability.

# BACK TO WALL WC

Valtech

WATER CLOSET



## Sorrel


VT9500BTW

Type : Rimless Toilet


Flushing System : Tornado & Washdown Flush

Roughing In : 180mm ( P-Trap )

Size : 540L x 360W x 415H mm



BACK VIEW



SIDE VIEW

## Alba


VT9501BTW

Type : Rimless Toilet


Flushing System : Tornado & Washdown Flush

Roughing In : 180mm ( P-Trap )

Size : 560L x 365W x 405H mm



BACK VIEW



SIDE VIEW

# BACK TO WALL WC

*Valtech*



**Alba**  
VT9501BTW

# WALL HUNG WC

Valtech

WATER CLOSET


## Morri

VT9551WHWC


Type : Rimless Toilet

Flushing System : Tornado Flush

Size : 490L x 365W x 295H mm



TOP VIEW



SIDE VIEW


## Sababa

VT9552WHWC


Type : Rimless Toilet

Flushing System : Tornado & Washdown Flush

Size : 535L x 360W x 360H mm



TOP VIEW



SIDE VIEW

# ONE PIECE WC

Valtech

## Calypso

VT9850OP


Type : Rimless Toilet

Flushing System : Washdown Flush


Flush Volume : 3L/6L

Roughing In : 250mm ( S-Trap )

Size : 710L x 375D x 710H mm



TOP VIEW



SIDE VIEW



## Serasi

VT9851OP


Type : Rimless Toilet

Flushing System : Washdown Flush


Flush Volume : 3L/6L

Roughing In : 180mm ( P-Trap ) , 250mm ( S-Trap )

Size : 670L x 400W x 720H mm



TOP VIEW



SIDE VIEW

# CLOSE COUPLED WC

Valtech

WATER CLOSET



## Ayu

VT9751CC



Type : Rimless Toilet

Flushing System : Washdown Flush

Flush Volume : 3L/4L

Roughing In : 180mm ( P-Trap ) , 250mm ( S-Trap )

Size : 620W x 390D x 825H mm



## Navia

VT9752CC



Type : Rimless Toilet

Flushing System : Washdown Flush

Flush Volume : 3L/4L

Roughing In : 180mm ( P-Trap ) , 250mm ( S-Trap )

Size : 620W x 390D x 825H mm



# CLOSE COUPLED WC

*Valtech*



## Latea

**VT9750CC**


Type : Rimless Toilet

Flushing System : Washdown Flush


Flush Volume : 3L/4L

Roughing In : 180mm ( P-Trap )

Size : 640W x 390D x 825H mm



FRONT VIEW





SIDE VIEW



**Latea**  
VT9750CC

03



# VALTECH URINALS

“ Efficient and hygienic solutions. “

# URINAL

## INDEX

WALL HUNG BACK INLET

WALL HUNG TOP INLET

# WALL HUNG BACK INLET URINAL

Valtech

URINALS



## Vera

VT9927WHUBI / VT9927WHUBI-S


*"Offered in sensor and non-sensor versions"*

Trap : P-Trap

Size : L350 x W380 x H760 mm



FRONT VIEW



SIDE VIEW




## Bayu

VT9926WHUBI / VT9926WHUBI-S


*"Offered in sensor and non-sensor versions"*

Trap : P-Trap

Size : L365 x W345 x H585mm



FRONT VIEW



SIDE VIEW

## WALL HUNG BACK INLET URINAL

*Valtech*



**Bayu**

VT9926WHUBI

# WALL HUNG TOP INLET URINAL

Valtech

URINALS




## Arus

VT9900WHUTI

Trap: P-Trap

Size: L375 x W315 x H760mm



FRONT VIEW



SIDE VIEW

## WALL HUNG TOP INLET URINAL

*Valtech*



*Valtech*®

# SENSOR FITTINGS

Valtech Sensor Fittings combine modern design with intelligent functionality to enhance hygiene and water efficiency in every space. Complementing our Sanitary Ware collection, these fittings offer a seamless, touch-free experience — ideal for both commercial and residential applications.



**AUTOMATIC  
WATER FAUCET**



**FLUSHER**



**SOAP  
DISPENSER**



**GARBAGE BINS**



**ECO DRY**



**PAPER TOWEL  
DISPENSER**


# TABLE OF CONTENTS

<b>0 1</b>	<b>W A T E R F A U C E T</b>	<b>3 9</b>
<b>0 2</b>	<b>U R I N A L F L U S H E R</b>	<b>4 5</b>
<b>0 3</b>	<b>T O I L E T F L U S H E R</b>	<b>4 7</b>
<b>0 4</b>	<b>S O A P D I S P E N S E R</b>	<b>4 9</b>
<b>0 5</b>	<b>G A R B A G E B I N S</b>	<b>5 3</b>
<b>0 6</b>	<b>H A N D D R Y E R</b>	<b>5 5</b>
<b>0 7</b>	<b>P A P E R T O W E L D I S P E N S E R</b>	<b>5 7</b>


## WATER FAUCET

Valtech Water Faucets are divided into two series. The first series is Hygiene Sense Series which is suitable for high traffic usage such as industrial and commercial buildings. Type of faucets in this series are Cold Faucet, Basin Pillar Faucet, Hot & Cold, Cement & Artificial Wall Recessed Faucet and Pull-Down Faucet. These faucets are battery operated or electricity operated.

The second series is Just Right Series which is suitable for low traffic usage such as residential, small offices, clinics and etc. The operation of this series faucet are similar to the Hygiene Sense Series.



Water flows out when user's hand placed in sensing range.



Water stops flowing when the user's hand is removed from the sensing range

### Features

- ✓ Uses high grade **Infrared Sensor** with **Microprocessor control**
- ✓ Robust build **Chrome Body & Inner-Brass**
- ✓ Models come with a choice of
  - ✓ DC (Direct Current)
  - ✓ AC (Alternating Current)
  - ✓ AC & DC operated
- ✓ Uses **Anti-impurity Solenoid Valve (Nickel)** technology




## TOUCH FREE AUTOMATIC BASIN MOUNTED WATER FAUCETS




**VT4000D**  
**VT4000AD**  
**VT4000AD-G**

Material: Inner Solid Brass, Triple Layer Chrome Finish  
Sensor: Infrared Sensor  
Solenoid Valve: Anti-impurity Technology  
Sensing Distance: 7 - 20cm Adjustable  
Water Pressure: 0.05 – 0.8 Mpa  
Inlet Pipe: G 1/2  
Power: VT4000D – DC 6V (4 x AA Alkaline Batteries)  
**VT4000AD - AC 240V & 6V +Rechargeable Lithium ion Battery**




**VT4003D**  
**VT4003AD**  
**VT4003AD-G**

Material: Inner Solid Brass, Triple Layer Chrome Finish  
Sensor: Infrared Sensor  
Solenoid Valve: Anti-impurity Technology  
Sensing Distance: 7 - 20cm Adjustable  
Water Pressure: 0.05 – 0.8 Mpa  
Inlet Pipe: G 1/2  
Power: VT4003D – DC 6V (4 x AA Alkaline Batteries)  
**VT4003AD - AC 240V & 6V +Rechargeable Lithium ion Battery**




**VT4024D**  
**VT4024AD**  
**VT4024AD-G**

Material: Inner Solid Brass, Triple Layer Chrome Finish  
Sensor: Infrared Sensor (Placed above the aerator)  
Solenoid Valve: Anti-impurity Technology  
Sensing Distance: 7-20cm Adjustable  
Water Pressure: 0.05 – 0.8 Mpa  
Inlet Pipe: G 1/2  
Power: VT4024D – DC 6V (4 x AA Alkaline Batteries)  
**VT4024AD - AC 240V & 6V +Rechargeable Lithium ion Battery**



**VT4029D**  
**VT4029AD**  
**VT4029AD-G**

Material: Inner Solid Brass, Triple Layer Chrome Finish  
Sensor: Infrared Sensor  
Solenoid Valve: Anti-impurity Technology  
Sensing Distance: 7 - 20cm Adjustable  
Water Pressure: 0.05 – 0.8 Mpa  
Inlet Pipe: G 1/2  
Power: VT4029D – DC 6V (4 x AA Alkaline Batteries)  
**VT4029AD - AC 240V & 6V +Rechargeable Lithium ion Battery**




## TOUCH FREE AUTOMATIC BASIN MOUNTED WATER FAUCETS




**VT4022D**  
**VT4022AD**

Material: Inner Solid Brass, Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 15-20cm Adjustable  
 Water Pressure: 0.05 – 0.6 Mpa  
 Inlet Pipe: G 1/2  
 Power: VT4022D – DC 6V (4 x AA Alkaline Batteries)  
**VT4022AD - AC 220V(Adapter) & 4 x AA Alkaline Batteries (Battery on standby when Ac on)**




**VT4104D**  
**VT4104A**

Material: Inner Brass & ABS Body, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2  
 Power: VT4104D – DC 6V (4 x AA Alkaline Batteries)  
**VT4104A - AC 240V**




**VT4033D**  
**VT4033AD**

Material: Inner Solid Brass, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2  
 Power: VT4033D – DC 6V (4 x AA Alkaline Batteries)  
**VT4033AD - AC 240V & 6V +Rechargeable Lithium ion Battery**



**VT4100D**  
**VT4100AD**  
**VT4100AD-G**

Material: Inner Solid Brass, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2  
 Power: VT4100D – DC 6V (4 x AA Alkaline Batteries)  
**VT4100AD - AC 240V & 6V + Rechargeable Lithium ion Battery**




## TOUCH FREE AUTOMATIC BASIN MOUNTED WATER FAUCETS



Material: Inner Solid Brass, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2  
 Power: VT4101D – DC 6V uses 4 x AA Alkaline Batteries

**VT4101AD - AC 240V & 4 x AA Alkaline Batteries**  
 (Battery on standby when Ac on)




**VT4101D**  
**VT4101AD**  
**VT4101AD-G**



Material: Inner Solid Brass, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2  
 Power: VT4206D – DC 6V (4 x AA Alkaline Batteries)

**VT4206AD - AC 240V & 4 x AA Alkaline Batteries**  
 (Battery on standby when Ac on)




**VT4206D**  
**VT4206AD**  
**VT4206AD-G**



Material: Chrome Body, Inner 304 Stainless Steel  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2

Power: **VT4208AD - AC 240V & 4 x AA Alkaline Batteries**  
 (Battery on standby when Ac on)




**VT4208AD**  
**VT4208AD-G**



Material: Inner Solid Brass, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2

Power: **VT4208-2AD - AC 240V & 4 x AA Alkaline Batteries**  
 (Battery on standby when Ac on)




**VT4208-2AD**  
**VT4208-2AD-G**

## TOUCH FREE AUTOMATIC WALL MOUNTED WATER FAUCETS



Material: Inner Solid Brass, Triple Layer Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7-20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2

Power: VT4251D – DC 6V uses 4 x AA Alkaline Batteries




VT4251D  
VT4251D-G



Material: Inner Solid Brass, Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 7 - 20cm Adjustable  
 Water Pressure: 0.05 – 0.8 Mpa  
 Inlet Pipe: G 1/2

VT4254AD - AC 240V & 6V +Rechargeable Lithium ion Battery




VT4254AD  
VT4254AD-G



Material: Inner Solid Brass, Chrome Finish  
 Sensor: Infrared Sensor  
 Solenoid Valve: Anti-impurity Technology  
 Sensing Distance: 5-10cm Adjustable  
 Water Pressure: 0.05 – 0.6 Mpa  
 Inlet Pipe: G 1/2

Power: VT4257D – DC 6V uses 4 x AA Alkaline Batteries

VT4257AD - AC 240V & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)



VT4257D  
VT4257AD

## TOUCH FREE AUTOMATIC HOT AND COLD BASIN WATER FAUCETS



**VT4010D**  
**VT4010A**

Material: Inner Brass, ABS Body , Triple Layer Chrome Finish

Sensor: Infrared Sensor, Dual sensor

Solenoid Valve: Anti-impurity Technology



Sensing Distance: 7-20cm Adjustable

Water Pressure: 0.05 – 0.8 Mpa

Inlet Pipe: G 1/2


Power: VT4010D – DC 6V ( 4 x AA Alkaline Batteries)

VT4010A - AC 240V




# URINAL FLUSHER


There is two types of urinal flusher which is exposed and wall recessed. Both can be used with all type of urinal bowl. Exposed urinal flusher is suitable for those who wants to convert from manual to automatic urinal flusher. With easy installation, user can save not just water but also cost as no need to hack the wall in converting from manual to automatic.



1. The Sensor is in idle mode when not in use.



2. Sensor will start to pre-flush when sensor detected user for first 3 second.



3. Flusher will full flushed when the user leave the urinal bowl. Flusher will automatically flush once every 24hours when not in use.

## Features

- ✓ Uses high grade **Infrared Sensor** with **Microprocessor control**
- ✓ Robust build **Chrome Body & Inner-Brass**
- ✓ Models come with a choice of
  - ✓ DC (Direct Current)
  - ✓ AC & DC operated
- ✓ Uses **Anti-impurity Solenoid Valve (Nickel)** technology



## TOUCH FREE AUTOMATIC EXPOSED & RECESSED URINAL FLUSHER



**VT4404DM**  
**VT4404ADM**  
**VT4404ADM-G**

Type: Recess Wall Mounted with Manual Flushing Button

Material: Chrome Face Plate, Inner Brass

Sensor: Infrared Sensor

Solenoid Valve: Anti-impurity Technology

Sensing Distance: 7-20cm Adjustable


Water Pressure: 0.05 – 0.8 Mpa

Inlet Pipe: G 1/2

Power: VT4404DM – DC 6V (4 x AA Alkaline Batteries)

**VT4404ADM - AC 240V & 4 x AA Alkaline Batteries**  
**(Battery on standby when Ac on)**

**VT4404ADM-G : Meets Water Savings Requirement of 2.5L/Min**



**VT4409ADM**

Type: Recess Wall Mounted with Manual Flushing Button

Material: Chrome Face Plate, Inner Brass

Sensor: Infrared Sensor

Solenoid Valve: Anti-impurity Technology


Sensing Distance: 7-20cm Adjustable

Water Pressure: 0.05 – 0.8 Mpa

Inlet Pipe: G 1/2

Power: VT4404DM – DC 6V (4 x AA Alkaline Batteries)

**VT4409ADM - AC 240V & 4 x AA Alkaline Batteries**  
**(Battery on standby when Ac on)**



**VT4400D**

Type: Exposed Urinal Flusher (**Fully Integrated**)

Material: Inner Solid Brass, Triple Layer Chrome Finish

Sensor: Infrared Sensor


Solenoid Valve: Anti-impurity Technology

Sensing Distance: 7-20cm Adjustable

Water Pressure: 0.07 – 0.7Mpa

Inlet Pipe: G 1/2

Power: VT4400D – DC 6V (4 x AAA Alkaline Batteries)



**VT4403DM**

Type: Exposed Urinal Flusher with **Mechanical** Manual Button  
(**Fully Integrated**)

Material: Inner Solid Brass, Triple Layer Chrome Finish

Sensor: Infrared Sensor


Solenoid Valve: Anti-impurity Technology

Sensing Distance: 7-20cm Adjustable

Water Pressure: 0.07 – 0.7 Mpa

Inlet Pipe: G 1/2

Power: VT4403DM – DC 6V (4 x AAA Alkaline Batteries)



# TOILET FLUSHER



Technologically advanced, hands-free toilet flusher designed to reduce the risk of disease caused by cross contamination.



1. The Sensor is in idle mode when not in use.

2. Sensor will enter standby mode when user is in sensor range for 3 second.

3. Flusher will flush 2 liter when user use the toilet less than 2 minutes and 5 liter if more than 2 minutes.

4. Flusher will automatically flush once every 24hours when not in use..

## Features

- ✓ Uses high grade **Infrared Sensor** with **Microprocessor control**
- ✓ Robust build **Chrome Body & Inner-Brass**
- ✓ Models come with a choice of
  - ✓ DC (Direct Current)
  - ✓ AC & DC operated
- ✓ Uses **Anti-impurity Solenoid Valve (Nickel)** technology



## TOUCH FREE AUTOMATIC RECESSED TOILET FLUSHER



**VT4501ADM  
VT4501ADM-G**

Type: Recess Wall Mounted with Manual Flushing Button

Material: Chrome Face Plate, Inner Brass

Sensor: Infrared Sensor


Solenoid Valve: Anti-impurity Technology

Sensing Distance: 7 - 20cm Adjustable

Water Pressure: 0.3 – 0.8 Mpa

Power: VT4501ADM - AC 240V & 4 x AA Alkaline Batteries  
(Battery on standby when Ac on)

VT4501ADM-G : Meets Water Savings Requirement of 4L/Min



**VT4502ADM  
VT4502ADM-G**

Type: Recess Wall Mounted with Manual Flushing Button

Material: Chrome Face Plate, Inner Brass

Sensor: Infrared Sensor


Solenoid Valve: Anti-impurity Technology

Sensing Distance: 7-20cm Adjustable

Water Pressure: 0.3 – 0.8 Mpa

Power: VT4502ADM - AC 240V & 4 x AA Alkaline Batteries  
(Battery on standby when Ac on)

VT4502ADM-G : Meets Water Savings Requirement of 4L/Min



**VT4506ADM**

Type: Recess Wall Mounted with Manual Flushing Button

Material: Chrome Face Plate, Inner Brass


Sensor: Infrared Sensor

Solenoid Valve: Anti-impurity Technology

Sensing Distance: 7-20cm Adjustable

Water Pressure: 0.3 – 0.8 Mpa

Power: VT4506ADM - AC 240V & 4 x AA Alkaline Batteries  
(Battery on standby when Ac on)



**VT4505DM**

Type: Automatic Exposed toilet flusher

Material: Chrome Face Plate, Inner Brass


Sensor: Infrared Sensor

Solenoid Valve: Anti-impurity Technology

Sensing Distance: 40 - 80cm Adjustable

Water Pressure: 0.3 – 0.8 Mpa

Power: VT4505DM - DC 4 x AA Alkaline Batteries



## SOAP DISPENSER

*Valtech* Sensor Soap Dispenser are divided into two types, liquid soap dispenser and foam soap dispenser. Automatic hand soap dispensers reduce spreading of bacteria and cost savings. These touch-less systems allow people to use the right amount of soap to clean their hands because the same amount is dispensed each time. *Valtech* sensor soap dispenser models are sleek and attractive. These dispensers can add something modern to any washroom or kitchen. Advantage of using *Valtech* soap dispenser is the soap tank can be removed to clean and be sterilize.



### Features


- ✓ Hygienic
- ✓ High grade Infrared Sensor
- ✓ Microprocessor control

## TOUCH FREE AUTOMATIC LIQUID SOAP DISPENSER




**VT1000D**  
**VT1000AD**

Type: Wall Mount Drop Soap Dispenser  
 Volume: 800ml-container  
 Material: Polished Stainless Steel  
 Sensor: Infrared Sensor  
 Power: VT1000D – DC 6V (4 x AA Alkaline Batteries)  
 VT1000AD - AC 240V (adapter) & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)




**VT1007D**

Type: Wall Mount Drop Soap Dispenser  
 Volume: 1000ml-container  
 Material: ABS Body  
 Sensor: Infrared Sensor  
 Power: VT1007D – DC 6V (4 x C Alkaline Batteries)




**VT1011D**

Type: Wall Mount Hand Sanitizer Dispenser  
 Volume: 1000ml-container  
 Material: ABS Body  
 Sensor: Infrared Sensor  
 Power: VT1011D – DC 6V (4 x AA Alkaline Batteries)



**VT1055D**  
**VT1055AD**

Type: Base Mount Drop Soap Dispenser  
 Volume: 1500ml-container  
 Material: Solid Brass, Triple Layer Chrome Finish  
 ABS Motor with polyethylene soap Bottle  
 Sensor: Infrared Sensor  
 Power: VT1055D – DC 6V (4 x AA Alkaline Batteries)  
 VT1055AD - AC 240V (adapter) & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)




## TOUCH FREE BASE-MOUNTED AUTOMATIC LIQUID SOAP DISPENSER




**VT1057AD**

Type: Base Mount Drop Soap Dispenser  
 Material: Solid Brass, Triple Layer Chrome Finish  
 ABS Motor with polyethylene soap Bottle  
 Volume : 1500ml-container  
 Dispensing Soap Volume: 1-2ml Per Dispense  
 Sensing Distance: 1-8cm By High Graded Sensor  
 Sensor: Infrared Sensor  
**Power Source: AC 240v or Alternatively  
 DC (6V) 4 x C size Alkaline Battery**




**VT1019D  
 VT1019AD**

Type: Base Mount Drop Soap Dispenser  
 Volume: 1500ml-container  
 Material: Solid Brass, Triple Layer Chrome Finish  
 ABS Motor with polyethylene soap Bottle  
 Sensor: Infrared Sensor  
 Power: VT1019D – DC 6V (4 x AA Alkaline Batteries)  
**VT1019AD - AC 240V (adapter) & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)**




**VT1050D  
 VT1050AD**

Type: Base Mount Drop Soap Dispenser  
 Volume: 1500ml-container  
 Material: Solid Brass, Triple Layer Chrome Finish  
 ABS Motor with polyethylene soap Bottle  
 Sensor: Infrared Sensor  
 Power: VT1050D – DC 6V (4 x AA Alkaline Batteries)  
**VT1050AD - AC 240V (adapter) & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)**



**VT1053D  
 VT1053AD**


Type: Wall Mount Drop Soap Dispenser  
 Volume: 1500ml-container  
 Material: Solid Brass, Triple Layer Chrome Finish  
 ABS Motor with polyethylene soap Bottle  
 Sensor: Infrared Sensor  
 Power: VT1053D – DC 6V (4 x AA Alkaline Batteries)  
**VT1053AD - AC 240V (adapter) & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)**



## TOUCH FREE AUTOMATIC FOAM SOAP DISPENSER




Type: Wall Mount Foam Soap Dispenser  
 Volume: 800ml-container  
 Material: Polished Stainless Steel  
 Sensor: Infrared Sensor  
 Power: VT1020D – DC 6V (4 x AA Alkaline Batteries)  
 VT1020AD - AC 240V (adapter) & 4 x AA Alkaline Batteries  
 (Battery on standby when Ac on)



**VT1020D  
 VT1020AD**




Type: Wall Mount Foam Soap Dispenser  
 Volume: 1000ml-container  
 Material: ABS Body  
 Sensor: Infrared Sensor  
 Power: VT1027D – DC 6V (4 x AA Alkaline Batteries)



**VT1027D**



Type: Base Mount Foam Soap Dispenser  
 Volume: 1000ml-container  
 Material: Inner Brass, Chrome Finishing  
 Sensor: Infrared Sensor  
 Power: VT1056D – DC 6V (4 x D Alkaline Batteries)  
 VT1056A – AC (240V)



**VT1056D  
 VT1056A**



# GARBAGE BINS

Do you know that bins are always home ground for many type of bacteria which is harmful to us? From stomach bug to salmonella to the worst bacteria like E.coli, Listeria and others type of germs, we don't even realize what's the potential harm bins can bring to us. Most of us feels dirty when it comes to throw our trash, we can see some people don't like to touch the trash bin lead to throw their trash which may lid to just place their trash on top of the trash bin. This allows germs and bacteria to spread easily.

This shows that we need to change our normal trash bins to sensor automatic bins which is more safe, clean and hygienic. It can help to reduce contaminations and the spread of germs and bacteria by touch free mechanism that comes with it. This will promote safe and clean environment for everyone.



## Features

- ✓ High grade **Infrared Sensor**
- ✓ **Microprocessor control**
- ✓ **Adjustable sensing distance.**
- ✓ **Battery operated**
- ✓ **Robust built (Industrial standard)**
- ✓ **Hygienic**
- ✓ **Prevents cross contamination**
- ✓ **Lower maintenance cost**


Simply by waving your hand in front of the bin, depositing your waste and then allowing the bin to automatically close itself you are impeding the spread of germs and taking positive steps towards a cleaner and more hygienic.



## TOUCH FREE AUTOMATIC GARBAGE BINS




Type: Garbage Bins – 30 L  
 Material: Stainless Steel Body, ABS Cap: Black  
 Sensor: Infrared Sensor  
 High Grade Servo Control for Cap opening  
 Sensing Distance: 7-20cm  
 Power: VT2005D – DC 6V (4 x D size Alkaline batteries)  
**Dimension : 554 H x 372 D x 265 W mm**



**VT2005D**




Type: Garbage Bins – 80 L  
 Material: Stainless Steel Body, ABS Cap: Black  
 Sensor: Infrared Sensor  
 High Grade Servo Control for Cap opening  
 Sensing Distance: 7-20cm  
 Power: VT2006D – DC 6V (4 x D size Alkaline batteries)  
**Dimension : 725 H x 355 D x 460 W mm**



**VT2006D**



Type: Garbage Bins – 15 L  
 Material: ABS Body and Cap  
 Sensor: Infrared Sensor  
 High Grade Servo Control for Cap opening  
 Sensing Distance: 7-20cm  
 Power: VT2013D – DC 6V (4 x AA size Alkaline batteries)  
**Dimension : 462 H x 152 D x 469 W mm**



**VT2013D**



Type: Garbage Bins – 60L  
 Material: Stainless Steel Body, ABS Cap  
 Sensor: Infrared Sensor  
 High Grade Servo Control for Cap opening  
 Sensing Distance: 7-20cm  
 Power: VT2016D – DC 6V (4 x D size Alkaline batteries)  
**Dimension : 755 H x 290 D x 400 W mm**



**VT2016D**

# HAND DRYER

Although always considered as a secondary requirement, the importance of drying hands are crucial as washing our hands. Wet or damp hands spread 1,000 times more bacteria than dry hands, some people just sprinkle the remaining water on the basins and leave it there. Many do not really dry their hands using given facilities such as hand dryers and paper towel dispensers. There's benefits by drying off your hands after washing such as keep washroom floor clean and dry thus promoting safe environment for everyone and prevent the spread of germs/ bacteria.

- ✓ High grade **Infrared Sensor**
- ✓ **Microprocessor control**
- ✓ **Robust built (Industrial standard)**
- ✓ **Hygienic**
- ✓ **SIRIM Certified**




- ✓ **Prevents cross contamination**
- ✓ **Touch-Free Activation**
- ✓ **High Velocity Jet Airflow**
- ✓ **Long Lifespan Motor**
- ✓ **Lower Maintenance Cost**

## TOUCH FREE AUTOMATIC HAND DRYER



**VT6000A**

Type: Hand Dryer  
 Material Stainless Steel Body  
 Motor Speed/Power: 20000rpm/550W Wind speed 70m/s  
 Sensing Distance: 5-10cm  
 Power Rating: 1500Watts  
 Power: AC 240V-50Hz



CE CB



## TOUCH FREE AUTOMATIC HAND DRYER



VT6050A-W




VT6050A-S



VT6050A-B

Wall Mounted  
 Abs Body : White or Silver  
 Operation Power : AC 240V, 1200W  
 Standby: LED Colour Red; Active: LED Colour Blue,  
 Drying Time: Less than 10-15 seconds  
 Motor Type: 1HP, 400-750W,  
 Warm Air Speed Output: 65-100 m/s  
 Heater Element: ON/OFF heating options  
 Comes in 3 colour variance




## FEATURES

- Top half narrow design affords easy cleaning.
- An ergonomic high speed hand dryer.
- Dual-color LED sensor indicator.
- An innovative absorbent ceramic pad.
- Reinforcement base plate and hang base plate.
- We utilize Ionpure WPA (Ishizuka Glass Co., Ltd) which is NSF Certified in the production of our product. Our hand dryer has built-in anti-bacterial protection on its surface.
- Intelligent air speed adjustment and an heater on / off switch.
- User-friendly

Innovative air outlets that thoroughly dry hands.

Wheel chair-friendly

## Super Filter Assembly Information



## Worldwide Patents



# PAPER TOWEL DISPENSER

In recent years, hands free devices have really become popular throughout the world and it is not difficult to understand why. It is a known fact that germs can easily spread from one individual to another simply by physically touching objects such as door knobs , hand rails and tissue dispenser lever. Hence, using automatic paper towel dispenser help to prevent these physically touch by just placing user's hands in the sensor range and the tissue paper will be dispense out. Other than that, this dispenser helps in save cost by using recycled paper and the usage of the tissue paper where it will dispense just enough amount for user use.



## Features

- ✓ High grade **Infrared Sensor**
- ✓ **Microprocessor control**
- ✓ Adjustable length of tissue.
- ✓ Robust built (Industrial standard)
- ✓ **Hygienic**
- ✓ Prevents cross contamination
- ✓ Lower maintenance cost



## TOUCH FREE AUTOMATIC PAPER TOWEL DISPENSER



**VT7103AD**



**VT7104AD**



**VT7108AD**

Wall Mounted

ABS Body, High grade sensor and motor

Dual Power: **AC 240V**


**DC 6V (4xD size Alkaline Batteries)**

**(100 times activation per day, last one year)**

Battery Low and Paper finish LED indicator

Paper length adjustment

**Comes in 3 colour variance**




*Valtech*®

# MANUAL FITTINGS

Valtech Manual Fittings are designed with durability, precision, and ease of use in mind. Crafted from high-quality materials, they deliver reliable performance and timeless style — offer a refined balance of functionality and elegant design complementing our Sanitary Ware range.



**MANUAL  
FAUCET**



**TOILET  
FLUSHER**

# TABLE OF CONTENTS

<b>0 1</b>	<b>WATER FAUCETS</b>	<b>6 3</b>
<b>0 2</b>	<b>URINAL FLUSHER</b>	<b>7 0</b>
<b>0 3</b>	<b>TOILET FLUSHER</b>	<b>7 2</b>
<b>0 4</b>	<b>COLORFUL LIFE SERIES</b>	<b>7 5</b>

SELF-CLOSING WATER FAUCET  
COMMERCIAL FAUCET SERIES

VT922M




\*Water Flow Stop at 8-12Sec

VT921M




\*Water Flow Stop at 8-12Sec

VT939M




\*Water Flow Stop at 5-10Sec

VT920M



\*Water Flow Stop at 4-6Sec


VT927M



\*Water Flow Stop at 4-6Sec




VT929M



COMMERCIAL FAUCET SERIES


VT923M




VT924M




VT928M



VT932M




VT933M




**ELBOW OPERATED WATER FAUCET**  
**COMMERCIAL FAUCET SERIES**


VT936M



VT925M




VT926M




### DUAL TEMPERATURE SERIES


VT949M




VT950M




VT951M




VT952M




VT953M




VT954M




VT938M



VT955M



### CHROME FAUCET SERIES




**VT5701-40**  
Basin Tap

**VT5702-40**  
Extend basin tap

**VT5703-40**  
Pillar sink tap


**VT5704-40**  
Wall mounted sink tap



**VT5704A-40**  
Wall mounted sink tap

**VT5710-40**  
Double spout pillar sink tap

**VT5711-40**  
Double spout pillar sink tap




**VT5705-40**  
Bib tap

**VT5706-40**  
Hose bib tap

**VT5707-40**  
Angle valve

**VT5708-40**  
Two way tap




**VT5709-40 1/2**  
1/2" Stop valve

**VT5709-40 3/4**  
3/4" Stop valve

**VT5712-40**  
Wall mounted basin tap

### CHROME FAUCET SERIES




**VT5701-42**  
Basin Tap

**VT5702-42**  
Extended basin tap

**VT5703-42**  
Basin Tap


**VT5704-42**  
Extended basin tap



**VT574A-42**  
Basin Tap

**VT5710-42**  
Extended basin tap

**VT5711-42**  
Basin Tap




**VT5709-42**  
Bib tap

**VT5710-42**  
Hose bib tap

**VT5707-42**  
Angle valve

**VT5708-42**  
Two way tap



**VT5709-42 1/2**  
1/2" Stop valve

**VT5709-42 3/4**  
3/4" Stop valve

**VT5708-42**  
Extended basin tap




**VT5901**  
Basin Mixer

**VT57901C**  
Basin tap

**VT5902**  
Extended basin mixer


**VT5902C**  
Extended basin tap



**VT5903**  
Sink Mixer

**VT5903C**  
Sink tap

**VT5904**  
Wall Mounted Sink Tap



**VT5905**  
Bib tap

**VT5906**  
Hose bib tap

**VT5907**  
Angle valve

**VT5908**  
Two way tap




**VT5909**  
Stop valve

**VT5912**  
Wall mounted basin tap


### FLUSHER SERIES





VT404M




Back inlet urinal installation diagram




VT407M




VT432M




VT428M






VT429M






VT410M



VT417M





VT406M





### FLUSHER SERIES

VT408M



VT409M




VT413M



VT414M



VT416M




VT415M




FLUSHER SERIES


VT411M




VT436M



VT437M



VT412M





## LIFE ARTS

*Consummate combination of modernized science  
And life arts, which melt the exquisite and refined technologies with  
streamlined beauty, choice material and express the elegance in the air.*

FAUCET SERIES

**VT89291F**  
Single handle kitchen  
faucet  
Antique



**VT89291B**  
Single handle kitchen faucet  
Ancient Black



**VT89291BS**  
Single handle kitchen faucet  
Ancient Black



**VT89292F**  
Single handle kitchen  
faucet  
Antique



**VT89292B**  
Single handle kitchen  
faucet  
Ancient Black



**VT89292B**  
Single handle kitchen  
faucet  
Ancient Black



**VT89296F**  
Single handle kitchen  
faucet  
Antique



**VT89297F**  
Single handle kitchen  
faucet  
Antique



**VT89297FS**  
Single handle kitchen  
faucet  
Antique



### FAUCET SERIES

**VT89298B**

Single handle basin faucet  
Ancient Black



**VT89298**

Single handle basin faucet  
Chrome



**VT89298BS**

Single handle basin faucet  
Ancient Black



**VT89299BS**

Single handle basin faucet  
Black + gold



**VT89299WS**

Single handle basin faucet  
White + gold



**VT89299W**

Single handle basin faucet  
White



**VT89301F**

Double handle kitchen faucet  
Antique



**VT89301G**

Double handle kitchen faucet  
Zirconium gold



**VT89302F**

Double handle kitchen faucet  
Antique



### FAUCET SERIES

**VT89258F**

Single handle kitchen faucet  
Antique



**VT89257B**

Single handle kitchen faucet  
Ancient Black



**VT89258F**

Single handle kitchen faucet  
Antique



**VT89258G**

Single handle kitchen faucet  
Zirconium gold



**VT89262G**

Single handle kitchen faucet  
Zirconium gold



**VT89263G**

Single handle kitchen faucet  
Zirconium gold



**VT89266F**

Double handle kitchen faucet  
Antique



**VT89266G**

Double handle kitchen faucet  
Zirconium gold



**VT89266MS**

Double handle kitchen faucet  
Rose gold



### FAUCET SERIES

**VT89272G**

Single handle kitchen faucet  
Zirconium gold



**VT89273F**

Single handle kitchen faucet  
Antique



**VT89273G**

Single handle kitchen faucet  
Zirconium gold



**VT89045B**

Single handle kitchen faucet  
Matt black



**VT89275G**

Single handle kitchen faucet  
Zirconium gold



**VT89275M**

Single handle kitchen faucet  
Rose gold



**VT89501B**

Single handle basin faucet  
Antique



**VT89502B**

Single handle basin faucet  
Ancient Black



**VT89558B**

Single handle basin faucet  
Ancient Black



### FAUCET SERIES

**VT89279MS**

Single handle basin faucet  
Rose gold



**VT89281BS**

Single handle basin faucet  
Ancient Black



**VT89281MS**

Single handle basin faucet  
Rose gold



**VT89282G**

Single handle basin faucet  
Zirconium gold



**VT89282M**

Single handle basin faucet  
Rose gold



**VT8983GS**

Single handle basin faucet  
Titanium gold



**VT89283YS**

Single handle basin faucet  
ORB



**VT89284B**

Single handle basin faucet  
Ancient Black



**VT8984BS**

Single handle basin faucet  
Ancient Black



### FAUCET SERIES

**VT89287F**

Single handle basin faucet  
Antique




**VT89287G**

Single handle basin faucet  
Zirconium gold



**VT89287M**

Single handle basin faucet  
Rose gold



**VT89288F**

Single handle basin faucet  
Antique



**VT89288B**

Single handle basin faucet  
Ancient Black



**VT89288FS**

Single handle basin faucet  
Antique



**VT89289B**

Single handle basin faucet  
Ancient Black



**VT89290B**

Single handle basin faucet  
Ancient Black



**VT89290F**

Single handle basin faucet  
Antique



### FAUCET SERIES

**VT89351F**

Single handle basin faucet  
Antique



**VT89351B**

Single handle basin faucet  
Ancient Black



**VT89351BG**

Single handle basin faucet  
Black + gold



**VT89352WG**

Single handle basin faucet  
White + gold



**VT89352B**

Single handle basin faucet  
Ancient Black



**VT89352BG**

Single handle basin faucet  
Black + gold



**VT89353WG**

Single handle basin faucet  
White + gold



**VT89353B**

Single handle basin faucet  
Ancient Black



**VT89353BG**

Single handle basin faucet  
Black + gold



**FAUCET SERIES**

**VT89319B**

Single handle kitchen faucet  
Ancient Black



**VT89319BS**

Single handle kitchen faucet  
Ancient Black



**VT89320N**

Single handle kitchen faucet  
Nickel brush



**VT89321**

Single handle kitchen faucet  
Chrome



**VT89321N**

Single handle kitchen faucet  
Nickel brush



**VT89324**

Single handle kitchen faucet  
Chrome



**VT89325**

Single handle kitchen faucet  
Chrome



**VT89326**

Single handle kitchen faucet  
Chrome



**VT89327N**

Single handle kitchen faucet  
Nickel brush





**VT89037Y-1**  
Single handle basin faucet  
Ancient Brown + Rose gold



**VT89037Y-2**  
Single handle basin faucet  
Ancient Brown + Rose gold



**VT89037Y**  
Rose Gold shower Stem set  
Ancient Brown + Rose gold



## COMBINATION SERIES

**VT89039B**

Rose Gold Shower Stem set  
Ancient Black + Rose gold



**VT89039B-1**

Single handle basin faucet  
Ancient Black + Rose gold



**VT89039B-2**

Single handle basin faucet  
Ancient Black + Rose gold



**VT89039B-3**

Single handle kitchen faucet  
Ancient Black + Rose gold



**VT89039B-4**

Separate basin faucet  
Ancient Black + Rose gold



## COMBINATION SERIES

**VT89039Y**

Rose Gold Shower Stem set  
Ancient Brown + Rose gold



**VT89039Y-1**

Single handle basin faucet  
Ancient Brown + Rose gold



**VT89039Y-2**

Single handle basin faucet  
Ancient Brown + Rose gold



**VT89039Y-3**

Single handle kitchen faucet  
Ancient Brown + Rose gold



**VT89039Y-4**

Separate basin faucet  
Ancient Brown + Rose gold



COMBINATION SERIES

**VT89027B**

Trendy Shower Stem Set  
Black + Gold



**VT89027B-1**

Single handle basin faucet  
Black + Gold



**VT89027B**

Rising Stem big shower set  
White + Gold



**VT89027W-1**

Single handle basin faucet  
White + Gold



SHOWER SET SERIES

**VT89087F**  
Concealed shower set  
Antique



**VT89088F**  
Concealed shower set  
Antique



**VT89088B**  
Concealed shower set  
Ancient Black



**VT89104F**  
Double handle bath faucet  
Antique



**VT89104G**  
Double handle bath faucet  
Zirconium gold



**VT89104MS**  
Double handle bath faucet  
Rose gold



SHOWER SET SERIES

**VT89082B**  
Concealed shower set  
Ancient Black



**VT89083B**  
Concealed shower set  
Ancient Black



**VT89086B**  
Concealed shower set  
Ancient Black



**VT89084BN**  
Concealed shower set  
Brass natural color



**VT89085BN**  
Concealed shower set  
Brass natural color



**VT89086BN**  
Concealed shower set  
Brass natural color



### BIB Tap SERIES

**VT89406F**

Bibcock  
Antique



**VT89406G**

Bibcock  
Titanium gold



**VT89407F**

Bibcock  
Antique



**VT89408F**

Bibcock  
Antique



**VT89408M**

Bibcock  
Rose gold



**VT89408G**

Bibcock  
Zirconium gold



**VT89408AG**

Bibcock  
Zirconium gold



**VT89408AM**

Bibcock  
Rose gold



**VT89413F**

Bibcock  
Antique



**VT89414F**

Bibcock  
Antique



**VT89415F**


Bibcock  
Antique



**VT89416F**

Bibcock  
Antique





# VALTECH ENTERPRISE (M) SDN. BHD.

## ADDRESS

No. 15, Lorong Perda Timur 7,  
Bandar Perda, 14000 Bukit Mertajam,  
Penang, Malaysia.

## WEBSITE

[www.valtech-group.com](http://www.valtech-group.com)

## PHONE

+604-530 7824

## FOLLOW US ON SOCIAL MEDIA

 [valtechenterprise](#)

 [Valtech Enterprise Sdn Bhd](#)

 [valtech.enterpris](#)

 YouTube



Check our website



*Making Hygiene Sense*